L Number	Hits		DB	Time stamp
-	3	Thornton-James	USPAT;	2002/08/06 10:51
			US-PGPUB; EPO; JPO;	
			DERWENT;	:
			IBM TDB	į i
_	2	Thornton-James	USPAT	2002/08/05 13:02
_	Ō	Thornton-James	USOCR	2002/08/05 09:30
_	1	("6279013").PN.	USPAT	2002/08/05 09:39
-	0	("9143773").PN.	USPAT	2002/08/05 09:39
-	0	("9143773").PN.	USPAT	2002/08/05 09:40
-	1	("6240429").PN.	USPAT	2002/08/05 09:40
-	4	or ("6279013")).PN.	USPAT	2002/08/05 09:41
-	1298		USPAT	2002/08/05 15:09
_	6	(("4322157") or ("4488679") or ("4494862") or ("4521096") or ("4660221") or	USPAT; US-PGPUB	2002/08/05 14:54
1		("4728984")).PN.		2002/00/05 14.54
-	60	(162/110).CCLS.	USPAT; US-PGPUB	2002/08/05 14:54
-	0	(235/462).CCLS.	USPAT	2002/08/05 15:10
-	0	(235/462).CCLS.	USPAT;	2002/08/05 15:10
-	110	(235/462.32).CCLS.	US-PGPUB USPAT;	2002/08/05 15:10
		(225 (404), 661 6	US-PGPUB	2002/00/05 11 12
-	660 281	(235/494).CCLS. (380/54).CCLS.	USPAT	2002/08/06 11:19
_	281	(380/54).CCLS.	USPAT;	2002/08/06 13:22
	290	(3007347.6613.	US-PGPUB	2002/00/00 11.24
-	557	(382/100).CCLS.	USPAT; US-PGPUB	2002/08/06 11:26
-	0	(305/276).CCLS.	USPAT; US-PGPUB	2002/08/06 11:28
-	o	(382/305.276).CCLS.	USPAT; US-PGPUB	2002/08/06 11:28
_	333	(382/305).CCLS.	USPAT; US-PGPUB	2002/08/06 12:00
-	0	(235/462).CCLS.	USPAT; US-PGPUB	2002/08/06 12:01
_	111	(235/462.32).CCLS.	USPAT; US-PGPUB	2002/08/06 12:04
_	1349	(235/375).CCLS.	USPAT; US-PGPUB	2002/08/06 12:05
_	380130	(embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4) near	USPAT; US-PGPUB	2002/08/06 13:10
		US-3502851-A.DID. (token or record or	10100	
	200120	label or code or barcode)	HODAM	2002/00/06 12 11
-	380130	(print or document or file or paper or application) near US-3502851-A.DID. (token	USPAT; US-PGPUB	2002/08/06 13:11
_	76204	or record or label or code or barcode)	HCDATT.	2002/00/06 12:14
-	76204	(token or record or label or code or barcode) near10 (link\$3 or hyperlink\$3 or	USPAT; US-PGPUB	2002/08/06 13:14
-	380130	refer\$4 or point\$4) (scan\$3 or read\$3 or sens\$3) near	USPAT;	2002/08/06 13:17
		US-3502851-A.DID. (token or record or	US-PGPUB	
		label or code or barcode)		
-	1	1AND2	USPAT; US-PGPUB	2002/08/06 13:17
-	0	79AND80	USPAT; US-PGPUB	2002/08/06 13:17
-	380130	((embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4) near	USPAT; US-PGPUB	2002/08/06 13:18
		US-3502851-A.DID. (token or record or		
		label or code or barcode)) AND ((print or		
		document or file or paper or application)		
		near US-3502851-A.DID. (token or record or		
L	<u> </u>	label or code or barcode))	<u> </u>	

76204 ((token or record or label or code or refers4 or points4)) AND ((scans3 or refers4) (scans3 or refers4) (scans3 or refers4) (scans3 or refers4) (scans3 or refers4 or points4)) AND (scans3 or refers4 or points4) AND (scans3 or reads3 or sens6) or record or label or code or barcode) near10 (link3) or hyperlink3) or refers4 or points4) AND (scans3 or reads3 or sens6) or record or label or code or barcode) near10 (link3) or hyperlink3) or refers4 or points4) AND (scans3 or reads3 or sens6) AND (scans3 or refers4 or points4) AND (scans3 or redefs4) Scans3 or refers4 or points4) AND (scans3 or redefs4) Scans4 or points4) AND (scans3 or refers4) Scans4 or record or label or code or barcode) Scans4 Sca						
referâd or pointsál) AND ((scan33 or read32 or sens33) near US-3502851-A.DID. (token or record or label or code or located or label or code or label or code or label or code or label or located or label or code or label or located or label or label or located or label or labe	-	76204	((token or record or label or code or	1	2002/08/06	13:18
read\$3 or sens\$3) near US-3502851-A.DID. (token or record or label or code or barcode) 1000 10			barcode) nearIU (link\$3 or nyperlink\$3 or	US-PGPUB	•	
Coken or record or label or code or barcode) ((token or record or label or code or barcode) near10 ((link8) or hyperlink8) or refers4 or point84)) AND ((scan8) or refers6) or sen83) near US-3502831-A.DID. (token or record or label or code or barcode) AND ((print or document or file or paper or or application) near US-3502851-A.DID. (token or record or label or code or barcode)) AND ((print or document or file or paper or application) near US-3502851-A.DID. (token or record or label or code or barcode)) AND ((print or document or file or paper or application) near US-3502851-A.DID. (token or record or label or code or barcode)) AND ((print or document or file or paper or application) near US-3502851-A.DID. (token or record or label or code or barcode)) AND ((print or document or file or paper or application) near US-3502851-A.DID. (token or uSPAT; US-PGPUB; Repo; JPO; USPAT;					į	
Description	!			ļ	1	
Trigorial (token or record or label or code or barcede) near10 (link3) or refers4 or points41) AND (tscans3 or reads3 or sens53) near US-3502851-A.DID. (token or record or label or code or barcede) ((tenbeds4 or prints3 or includs3 or compriss5) or attach54) near code or label or code or barcede) and to record or label or code or barcede) and to record or label or code or barcede) and to record or label or code or barcede) and to record or label or code or barcede) and to record or label or code or barcede) and to record or label or code or barcede) and to record or label or code or barcede) and to record or label or code or barcede) and to record or label or code or barcede) and to record or label or code or barcede) and to record or label or code or barcede and to record or label or code or barcede and to record or label or code or barcede and to record or label or code or barcede and to record or label or code or barcede and to refers4 and to record or label or code or barcede) and record and to record or label or code or barcede) and record and to record or label or code or barcede) and record and to record or label or code or barcede) and record and to record or label or code or barcede) and record and to record or label				!		
Darcode near10 (links3 or hyperlink3 or refers4 or points41) AND (scans3 or reads3 or sens3) near US-502851-A.DID. (token or record or label or code or barcode)) ([(nebed54 or print\$3 or includs3 or compris\$3 or attach\$4) near US-502851-A.DID. (token or record or label or code or barcode) US-FGFUB U	_	76204		USPAT;	2002/08/06	13:19
refers4 or points41) AND ((scans3 or reads3 or sens53) near US-502851-A.DID. (token or record or label or code or barcode) (((embeds4 or prints3 or includs3 or compriss3 or attachs4) near US-3502851-A.DID. (token or record or label or code or barcode) USPAT; US-PGPUB		'020'		1		
read33 or sens33) near US-3502851-A.DID. (token or record or label or code or barcode))						
Ctoken or record or label or code or barcode)					i	
T6204						
compriss3 or attach\$4) near		ļ	barcode))	i		
US-3502851-A.DID. (token or record or label or code or barcode) AND ((print or document or file or paper or application) near US-3502851-A.DID. (token or record or label or code or barcode) near10 (link\$3 or hyperlink\$3 or refer\$4 or point\$4) AND ((scan\$3) or read\$3 or seas\$3) near US-3502851-A.DID. (token or record or label or code or barcode)) and (US-27502851-A.DID. (token or record or label or code or barcode)) and (US-27502851-A.DID. (token or record or label or code or barcode)) US-27502851-A.DID. (token or record or label or code or barcode) US-27502851-A.DID. (token or record or label or code or barcode) US-27502871-A.DID. (token or record or label or code or barcode) US-27502871-A.DID. (token or record or label or code or barcode US-27502871-A.DID. (token or record or label or code or barcode) US-27502871-A.DID. (token or record or label or code or barcode) US-27502871-A.DID. (token or record or label or code or barcode) US-27502871-A.DID. (token or record or label or code or barcode) US-27502871-A.DID. (token or us-27502-A.DID. (token or record or label or code or barcode) US-27502-A.DID. (token or record or label or code or barcode) US-27502-A.DID. (token or record or label or code or barcode) US-27502-A.DID. (token or record or label or code or barcode) US-27502-A.DID. (token or record or label or code or barcode) US-27502-A.DID. (token or record or label or code or barcode) US-27502-A.DID. (token or record or label or code or barcode) US-27502-A.DID. (token or record or label or code or barcode) US-27502-A.DID. (token or record or label or code or barcode) US-27502-A.DID. (token or record or label or code or barcode) US-27502-A.DID. (token or record or label or code or code or barcode) US-27502-A.DID. (token or record or label or code or barcode) US-27502-A.DID. (token or record or label or code or code or barcode) US-27502-A.DID. (token or record or label or code or code or barcode) US-27502-A.DID. (US-27502-A.DID. (US-27502-A.DID. (US-27502-A.DID.	-	76204	(((embed\$4 or print\$3 or includ\$3 or	•	2002/08/06	13:20
label or code or barcode) AND ((print or document or file or paper or application) near US-3502851-A.DID. (token or record or label or code or barcode) near10 (link%3 or hyperlink%3 or refer%4 or point%4)) AND ((scan83 or read\$3 or sens\$3) near US-3502851-A.DID. (token or record or label or code or barcode) near10 (link%3 or hyperlink%3 or refer%4 or point%4)) AND ((scan83 or read\$3 or sens\$3) near US-3502851-A.DID. (token or record or label or code or barcode)) - 237 Coff AND barcode - 275452 embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4) near10(token or record or label or code or barcode - 141268 print or document or file or paper or application) near10(token or record or label or code or barcode - 87127 token or record or label or code or barcode parcode) near10(link\$3 or hyperlink\$3 or user\$4. US-PCPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PCPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USP-PCPUB; PO; JPO; DERWENT; I				US-PGPUB		
document or file or paper or application) near US-3502851-A.DID. (token or record or label or code or barcode)) near10 (link3 or hyperlink3 or refers4 or points4) AND ((token or record or label or code or barcode)) - 237 OCR AND barcode - 275452 embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4) near10(token or record or label or code or barcode) - 141268 print or document or file or paper or application) near10(token or record or label or code or barcode - 187127 token or record or label or code or barcode parcode) near10(link\$3 or hyperlink\$3 or refer\$4 - 179751 token or record or label or code or barcode) - 186187 personal or read\$3 or sens\$3) near10(token or record or label or code or barcode) - 186187 personal or read\$3 or sens\$3) near10(token or record or label or code or barcode) - 186188 personal or read\$3 or compil\$5 or record or label or code or barcode) - 186189 personal or read\$3 or compil\$5 or fabricat\$3) near10(token or record or label or code or barcode) - 187124 (embed\$4 or print\$3 or includ\$3 or compir\$3 or attach\$4) near10(token or record or label or code or barcode) - 7884 (embed\$4 or print\$3 or includ\$3 or compir\$5 or fabricat\$3] near10(token or record or label or code or barcode) - 7884 (embed\$4 or print\$3 or includ\$3 or compir\$5 or fabricat\$3] near10(token or record or label or code or barcode) - 7884 (embed\$4 or print\$3 or includ\$3 or compir\$5 or fabricat\$3] near10(token or record or label or code or barcode) - 7884 (embed\$4 or print\$3 or includ\$3 or compir\$5 or fabricat\$3] near10(token or record or label or code or barcode) - 7884 (embed\$4 or print\$3 or includ\$3 or compir\$5 or fabricat\$3] near10(token or record or label or code or barcode) - 7884 (embed\$4 or print\$3 or includ\$3 or compir\$5 or fabricat\$3] near10(token or record or label or code or barcode) - 7884 (embed\$4 or print\$3 or includ\$3 or compir\$5 or fabricat\$3] near10(token or record or label or code or barcode) - 7884 (embed\$4 or print\$3 or includ\$3 or compir\$5 or fabricat\$3] near10(token or record or label or code or ba						
near US-3502851-A.DID. (token or record or label or code or barcode) AND ((token or record or label or code or barcode) near10 (links) or hyperlinks) or refers4 or points4) AND ((scans) or reads) or sens3) near US-3502851-A.DID. (token or record or label or code or barcode) USPAT; US-PCPUB; EPO; JPO; DERWENT; IBM TDB USPAT; U						
label or code or barcode) AND (((token or record or label or code or barcode) near10 (link%3 or hyperlink%3 or refers4 or point%4) AND ((scan83 or read%3 or sens%3) near US-3502851-A.DID. (token or record or label or code or barcode) USPAT; US-PCPUB USPAT; USPA			document or file or paper or application)			
	1					
near10 (link\$3 or hyperlink\$3 or refer\$4 or point\$4]) AND ((scan\$3 or read\$3 or sen\$\$3] near US-3502851-A.DID. (token or record or label or code or barcode))						
Sens\$3] near US-3502851-A.DID. (token or record or label or code or barcode) USPAT; US-PGPUB USPAT;				1		
237 OCR AND barcode CSPAT; USPAT; USPA			sens\$3) near US-3502851-A.DID. (token or		1	
US-PCPUB USPAT; US-PCPUB USPAT; US-PCPUB EPO; JPO; DERWENT; IBM TDB USPAT; US-PCPUB; EPO; JPO; DERWENT; US-PCP						
275452	-	237	OCR AND barcode		2002/08/06	17:13
compris\$3 or attach\$4)near10(token or record or label or code or barcode 141268				i .	0000/05/55	10
record or label or code or barcode 141268 print or document or file or paper or application) near10 (token or record or label or code or barcode) 141268 print or document or file or paper or application) near10 (token or record or label or code or barcode) 141268 print or document or file or paper or application) near10 (token or record or label or code or barcode) 14127 token or record or label or code or barcode) parcefers4 14228 print or document or file or paper or application) near10 (link\$3 or hyperlink\$3 or refers4) print\$3 or code or barcode 14239 print or document or file or paper or application) near10 (token or record or label or code or barcode) 144187 print\$4 print\$5 print\$5 print\$5 print\$5 print\$5 print\$5 print\$5 print\$5 print\$5 print\$6 print\$7 print\$	-	275452	embed\$4 or print\$3 or includ\$3 or	1	2002/08/07	10:10
- 141268 print or document or file or paper or application) near10(token or record or label or code or barcode				,		
- 141268 print or document or file or paper or application) near10(token or record or label or code or barcode) - 87127 token or record or label or code or barcode) refers4 - 179751 scan\$\frac{1}{2}\$ or read\$\frac{3}{2}\$ or read\$\frac{3}{2}\$ or sens\$\frac{3}{2}\$ near10(token or record or label or code or label or code or label or code or label or code or barcode) - 146187 generat\$\frac{3}{2}\$ or creat\$\frac{3}{2}\$ or compil\$\frac{5}{2}\$ or fabricat\$\frac{3}{2}\$ near10(token or record or label or code or barcode) - 37124 (embed\$\frac{4}{2}\$ or print\$\frac{3}{2}\$ or includ\$\frac{3}{2}\$ or compil\$\frac{5}{2}\$ or fabricat\$\frac{3}{2}\$ near10(token or record or label or code or barcode) - 37124 (embed\$\frac{4}{2}\$ or print\$\frac{3}{2}\$ or includ\$\frac{3}{2}\$ or fabricat\$\frac{3}{2}\$ near10(token or record or label or code or barcode) - 37124 (embed\$\frac{4}{2}\$ or print\$\frac{3}{2}\$ or includ\$\frac{3}{2}\$ or fabricat\$\frac{3}{2}\$ near10(token or record or label or code or barcode) - 7484 (embed\$\frac{4}{2}\$ or print\$\frac{3}{2}\$ or includ\$\frac{3}{2}\$ or compil\$\frac{5}{2}\$ or fabricat\$\frac{3}{2}\$ near10(token or record or label or code or barcode) - 7484 (embed\$\frac{4}{2}\$ or print\$\frac{3}{2}\$ or includ\$\frac{3}{2}\$ or compil\$\frac{5}{2}\$ or fabricat\$\frac{3}{2}\$ near10(token or record or label or code or barcode) - 7484 (embed\$\frac{4}{2}\$ or creat\$\frac{3}{2}\$ or compil\$\frac{5}{2}\$ or fabricat\$\frac{3}{2}\$ near10(token or record or label or code or barcode) - 7484 (embed\$\frac{4}{2}\$ or print\$\frac{3}{2}\$ or includ\$\frac{3}{2}\$ or compil\$\frac{5}{2}\$ or mompil\$\frac{5}{2}\$ or end the print\$\frac{3}{2}\$ or includ\$\frac{3}{2}\$ or includ\$\fr			record or label or code or barcode	1		
141268						
application)nearl0(token or record or label or code or barcode SPGPUB; EPG; JPO; DERWENT; IBM TDB USPAT; USPAT; USPGPUB; EPG; JPO; DERWENT; IBM TDB USPAT; USPAT	_	141268	print or document or file or paper or		2002/08/07	10:11
Tabel or code or barcode EPC; JPC; DERWENT; IBM_TDB USPAT;	-	141200	application) near 10 (token or record or		2002/00/01	10.11
- 87127 token or record or label or code or barcode) near10(link\$3 or hyperlink\$3 or refer\$4 - 179751 scan\$3 or read\$3 or sens\$3) near10(token or record or label or code or barcode) - 146187 generat\$3 or creat\$3 or compil\$5 or fabricat\$3) near10(token or record or label or code or barcode) - 37124 (embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4) near10(token or record or label or code or barcode) - 7484 (embed\$4 or print\$3 or includ\$3 or compris\$3 or creat\$3 or compil\$5 or fabricat\$3) near10(token or record or label or code or barcode) - 7484 (embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4) near10(token or record or label or code or barcode) - 7484 (embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4) near10(token or record or label or code or barcode) - 7484 (embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4) near10(token or record or label or code or barcode) - 7484 (embed\$4 or print\$3 or includ\$3 or record or label or code or barcode) - 7484 (embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4) near10(token or record or label or code or barcode) - 7484 (embed\$4 or print\$3 or includ\$3 or precord or label or code or barcode) - 7484 (embed\$4 or print\$3 or includ\$3 or precord or label or code or barcode) - 7484 (embed\$4 or print\$3 or includ\$3 or USPAT; - 7484 (embed\$4 or print\$3 or includ\$5 or record or label or code or barcode) - 7484 (embed\$4 or print\$3 or includ\$3 or USPAT; - 7484 (embed\$4 or print\$3 or includ\$3 or USPAT; - 7484 (embed\$4 or print\$3 or includ\$3 or USPAT; - 7484 (embed\$4 or print\$3 or includ\$3 or USPAT; - 7485 (embed\$4 or print\$3 or includ\$3 or USPAT; - 7486 (embed\$4 or print\$3 or includ\$3 or USPAT; - 7487 (embed\$4 or print\$3 or includ\$3 or USPAT; - 7488 (embed\$4 or print\$3 or includ\$3 or USPAT; - 7489 (embed\$4 or print\$3 or includ\$3 or USPAT; - 7484 (embed\$4 or print\$3 or includ\$3 or USPAT; - 7484 (embed\$4 or print\$3 or includ\$3 or USPAT; - 7484 (embed\$4 or print\$3 or includ\$3 or USPAT; - 7485 (embed\$4 or print\$3 or includ\$3 or USPAT; - 7486 (embed\$4 or print\$3						
token or record or label or code or barcode) barcode) nearl0(link\$3 or hyperlink\$3 or refer\$4 179751 cscan\$3 or read\$3 or sens\$3)nearl0(token or record or label or code or barcode 146187 generat\$3 or creat\$3 or compil\$5 or fabricat\$3)nearl0(token or record or label or code or barcode) (embed\$4 or print\$3 or includ\$3 or compis\$3 or attach\$4)nearl0(token or record or label or code or barcode) (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)nearl0(token or record or label or code or barcode) (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)nearl0(token or record or label or code or barcode) 7484 ((embed\$4 or print\$3 or includ\$3 or compii\$5 or fabricat\$3)nearl0(token or record or label or code or barcode) 7484 ((embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)nearl0(token or record or label or code or barcode) 7484 ((embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)nearl0(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)nearl0(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)nearl0(token or record or label or code or barcode) same (generat\$3 or creat\$3 or creat\$3 or compil\$5 or fabricat\$3)nearl0(token or record or label or code or barcode) same (print or document or file or paper or application)nearl0(token or record or label or code or barcode) 151166 liabl or code or barcode) 151167 liable or code or barcode) 151168 liable or code or barcode) 151169 liable or code or barcode) 151160 liable or code or barcode) 151160 liable or code or barcode) 151161 liable or code or barcode) 151161 liable or code or barcode) 151162 liable or code or barcode) 151163 liable or code or barcode) 151164 liable or code or barcode) 151165 liable or code or barcode) 151166 liable or code or barcode) 151166 liable or code or barcode) 151167 liable or code or barcode) 151168 liable or code or barcode) 151169 liable or code or barcode) 151169 liable or code or barcode) 151169 liable or code or barcode)		j				
barcode) near10 (link\$3 or hyperlink\$3 or refer\$4 - 179751 scan\$3 or read\$3 or sens\$3) near10 (token or record or label or code or barcode - 146187 generat\$3 or creat\$3 or compil\$5 or fabricat\$3) near10 (token or record or label or code or barcode) - 37124 (embed\$4 or print\$3 or includ\$3 or compil\$5 or fabricat\$3) ar attach\$4) near10 (token or record or label or code or barcode) - 37124 (embed\$4 or print\$3 or includ\$3 or compil\$5 or fabricat\$3) near10 (token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3) near10 (token or record or label or code or barcode) same (generat\$3 or creat\$3 or creat\$3 or compil\$5 or fabricat\$3) near10 (token or record or label or code or barcode) same (generat\$3 or creat\$3 or creat\$3 or creat\$3 or compil\$5 or fabricat\$3) near10 (token or record or label or code or barcode) same (generat\$3 or creat\$3 or creat\$3 or creat\$3 or creat\$3 or creat\$15 or fabricat\$3) near10 (token or record or label or code or barcode) same (print or document or file or paper or application) nearl0 (token or record or label or code or barcode) link\$3 or hyperlink\$3 or record or label or code or barcode) same (print or document or file or paper or application) nearl0 (token or record or label or code or barcode) link\$3 or hyperlink\$3 or record or label or code or barcode) same (print or document or file or paper or refer\$4) near10 (page or web or internet or refer\$4) near10 (page or web or internet or remote\$2 or external\$2				IBM TDB		
refer\$4 refer\$4 refer\$4 refer\$4 record or label or code or barcode record or label or code or label or code or barcode) record or label or code or barcode) re	_	87127	token or record or label or code or	USPAT;	2002/08/07	10:13
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;		j		- ·		
TBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; IBM_TDB US-PGPUB; IBM_TDB US-PGPUB; IBM_TDB US-PGPUB; IBM_TDB US-PGPUB; IBM_TDB US-PGPUB; IB		1	refer\$4			
179751 scan\$3 or read\$3 or sens\$3)near10(token or record or label or code or barcode 146187 generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) 179751 generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) 179751 generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) 179751 generat\$3 or creat\$3 or includ\$3 or compris\$3 or attach\$4)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) 179751 generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) 179751 generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) 179751 generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) 179751 generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) same (print or document or file or paper or application)near10(token or record or label or code or barcode) 151166 link\$3 or hyperlink\$3 or refer\$4)near10(page or web or internet or remote\$2 or external\$2						
record or label or code or barcode Tecord or label or code or barcode		170751	cones or reades or conessinguitation or		2002/08/07	10.14
- 146187 generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) - 37124 (embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) same (generat\$3 or attach\$4)near10(token or record or label or code or barcode) same (generat\$3 or attach\$4)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) same (print or document or file or paper or application)near10(token or record or label or code or barcode) - 151166 link\$3 or hyperlink\$3 or refer\$4)near10(page or web or internet or remote\$2 or external\$2	-	1/9/51			2002/00/07	10.14
DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB		-	lecold of laber of code of barcode	1	İ	
146187 generat\$3 or creat\$3 or compil\$5 or fabricat\$3) near10(token or record or label or code or barcode USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3) near10(token or record or label or code or barcode) same (generat\$3 or attach\$4) near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3) near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3) near10(token or record or label or code or barcode) same (print or document or file or paper or application) near10(token or record or label or code or barcode) link\$3 or hyperlink\$3 or refer\$4) near10(page or web or internet or remote\$2 or external\$2 USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; USPAT		ł				
fabricat\$3]nearl0(token or record or label or code or barcode - 37124 (embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)nearl0(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)nearl0(token or record or label or code or barcode) same ((embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)nearl0(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or compris\$3 or attach\$4)nearl0(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)nearl0(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)nearl0(token or record or label or code or barcode)) same (print or document or file or paper or application)nearl0(token or record or label or code or barcode) - 151166 link\$3 or hyperlink\$3 or refer\$4)nearl0(page or web or internet or remote\$2 or external\$2 SPAT; USPAT; US				IBM TDB		
or code or barcode SPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US	-	146187	generat\$3 or creat\$3 or compil\$5 or	USPĀT;	2002/08/07	10:15
- 37124 (embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) ((embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)near10(token or record or label or compris\$3 or attach\$4)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) same (print or document or file or paper or application)near10(token or record or label or code or barcode) link\$3 or hyperlink\$3 or refer\$4)near10(page or web or internet or remote\$2 or external\$2 DERWENT; IBM_TDB 2002/08/07 10:16 USPAT;						
- 37124 (embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) - 7484 ((embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)near10(token or record or label or code or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) same (print or document or file or paper or application)near10(token or record or label or code or barcode) 151166 link\$3 or hyperlink\$3 or refer\$4)near10(page or web or internet or remote\$2 or external\$2 USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPGPUB; EPO; JPO; DERWENT; USPGPUB; EPO; JPO; DERWENT;			or code or barcode			
- 37124 (embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) - 7484 (embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) same (generat\$3)near10(token or record or label or code or barcode) same (print or document or file or paper or application)near10(token or record or label or code or barcode) - 151166 link\$3 or hyperlink\$3 or refer\$4)near10(page or web or internet or remote\$2 or external\$2						
compris\$3 or attach\$4)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) 7484 ((embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) same (print or document or file or paper or application)near10(token or record or label or code or barcode) 151166 link\$3 or hyperlink\$3 or refer\$4)near10(page or web or internet or remote\$2 or external\$2 USPAT; USP		27104	/omboded or printed or included on		2002/09/07	10.16
record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode) ((embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode)) same (print or document or file or paper or application)near10(token or record or label or code or barcode) link\$3 or hyperlink\$3 or refer\$4)near10(page or web or internet or remote\$2 or external\$2 FPO; JPO; DERWENT; 2002/08/07 10:16 USPAT;	-	3/124			2002/00/0/	10:10
(generat\$3 or creat\$3 or compil\$5 or fabricat\$3)nearl0(token or record or label or code or barcode) 7484 ((embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)nearl0(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)nearl0(token or record or label or code or barcode) same (print or document or file or paper or application)nearl0(token or record or label or code or barcode) 151166 link\$3 or hyperlink\$3 or refer\$4)nearl0(page or web or internet or remote\$2 or external\$2 DERWENT; USPAT; USP	ļ	1		1	1	
fabricat\$3)near10(token or record or label or code or barcode) 7484 ((embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode)) same (print or document or file or paper or application)near10(token or record or label or code or barcode) 151166 151						
or code or barcode) ((embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4) near10 (token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3) near10 (token or record or label or code or barcode)) same (print or document or file or paper or application) near10 (token or record or label or code or barcode) 151166 link\$3 or hyperlink\$3 or refer\$4) near10 (page or web or internet or remote\$2 or external\$2 Coulon8/07 10:16 USPAT;				*		
- 7484 ((embed\$4 or print\$3 or includ\$3 or compris\$3 or attach\$4)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode)) same (print or document or file or paper or application)near10(token or record or label or code or barcode) link\$3 or hyperlink\$3 or refer\$4)near10(page or web or internet or remote\$2 or external\$2 USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					1	
compris\$3 or attach\$4)near10(token or record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode)) same (print or document or file or paper or application)near10(token or record or label or code or barcode) link\$3 or hyperlink\$3 or refer\$4)near10(page or web or internet or remote\$2 or external\$2 Compris\$3 or attach\$4)near10(token or code) same (print or document or fabricates) per Webnt; EPO; JPO; DERWENT; EPO; JPO; DERWE	-	7484		USPAT;	2002/08/07	10:16
record or label or code or barcode) same (generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label or code or barcode)) same (print or document or file or paper or application)near10(token or record or label or code or barcode) link\$3 or hyperlink\$3 or refer\$4)near10(page or web or internet or remote\$2 or external\$2 EPO; JPO; DERWENT;				1		
fabricat\$3)near10(token or record or label or code or barcode)) same (print or document or file or paper or application)near10(token or record or label or code or barcode) 151166 link\$3 or hyperlink\$3 or refer\$4)near10(page or web or internet or remote\$2 or external\$2 link\$3 or hyperlink\$3			record or label or code or barcode) same			
or code or barcode)) same (print or document or file or paper or application)near10(token or record or label or code or barcode) 151166 link\$3 or hyperlink\$3 or refer\$4)near10(page or web or internet or remote\$2 or external\$2				1		
document or file or paper or application) near10 (token or record or label or code or barcode) 151166 link\$3 or hyperlink\$3 or refer\$4) near10 (page or web or internet or remote\$2 or external\$2 lberwent; Derwent Compared to the paper or contained or code or barcode USPAT; Code				IBM_TDB		
application) near10 (token or record or label or code or barcode) 151166 link\$3 or hyperlink\$3 or refer\$4) near10 (page or web or internet or remote\$2 or external\$2 US-PGPUB; EPO; JPO; DERWENT;		1				
label or code or barcode) link\$3 or hyperlink\$3 or refer\$4)near10(page or web or internet or remote\$2 or external\$2 USPAT; US-PGPUB; EPO; JPO; DERWENT;		!	document or file or paper or			
- 151166 link\$3 or hyperlink\$3 or refer\$4)near10(page or web or internet or remote\$2 or external\$2 USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT;					1	
refer\$4)near10(page or web or internet or US-PGPUB; remote\$2 or external\$2 EPO; JPO; DERWENT;	_	151166	·	IISPAT.	2002/08/07	10.19
remote\$2 or external\$2 EPO; JPO; DERWENT;	-	121100			2002/00/07	10.19
DERWENT;	1	1				
					1	
I I I I I I I I I I I I I I I I I I I				IBM TDB		

[-	1633	(((embed\$4 or print\$3 or includ\$3 or	USPAT; US-PGPUB;	2002/08/07 10:19
		compris\$3 or attach\$4)near10(token or record or label or code or barcode) same	EPO; JPO;	
		(generat\$3 or creat\$3 or compil\$5 or	DERWENT;	
		fabricat\$3)near10(token or record or label	IBM TDB	
		or code or barcode)) same (print or		
		document or file or paper or	ł	
		application) near10 (token or record or	-	
		label or code or barcode)) and (link\$3 or		;
	•	hyperlink\$3 or refer\$4)near10(page or web	•	
1		or internet or remote\$2 or external\$2)		1 0000 (00 (07 10 10
-	1075	((((embed\$4 or print\$3 or includ\$3 or	USPAT;	2002/08/07 10:19
		compris\$3 or attach\$4)near10(token or record or label or code or barcode) same	US-PGPUB; EPO; JPO;	
		(generat\$3 or creat\$3 or compil\$5 or	DERWENT;	
		fabricat\$3)near10(token or record or label	IBM TDB	
		or code or barcode)) same (print or		
		document or file or paper or		!
		application) near10 (token or record or		
_	1	label or code or barcode)) and (link\$3 or		
-		hyperlink\$3 or refer\$4)near10(page or web		
		or internet or remote\$2 or external\$2))	1	
	1	and (token or record or label or code or		
		barcode)near10(link\$3 or hyperlink\$3 or	ļ	
	1075	refer\$4) (((((embed\$4 or print\$3 or includ\$3 or	USPAT;	2002/08/07 10:19
-	1075	compris\$3 or attach\$4)near10(token or	US-PGPUB;	2002/00/07 10:13
ļ		record or label or code or barcode) same	EPO; JPO;	
		(generat\$3 or creat\$3 or compil\$5 or	DERWENT;	
		fabricat\$3)near10(token or record or label	IBM TDB	
		or code or barcode)) same (print or	_	
]		document or file or paper or		
		application) near10 (token or record or		
		label or code or barcode)) and (link\$3 or		de la
		hyperlink\$3 or refer\$4)near10(page or web or internet or remote\$2 or external\$2))		
		and (token or record or label or code or		
		barcode) near10 (link\$3 or hyperlink\$3 or		
		refer\$4)) and (generat\$3 or creat\$3 or		
		compil\$5 or fabricat\$3)near10(token or		
		record or label or code or barcode)		
-	11236	1 '-	USPAT;	2002/08/07 10:20
1		application) near10 (token or record or	US-PGPUB;	
		label or code or barcode) same (token or	EPO; JPO;	
		record or label or code or barcode)near10(link\$3 or hyperlink\$3 or	DERWENT; IBM TDB	
		refer\$4)	1011_100	
-	693	(((((embed\$4 or print\$3 or includ\$3 or	USPAT;	2002/08/07 10:20
		compris\$3 or attach\$4)near10(token or	US-PGPUB;	
		record or label or code or barcode) same	EPO; JPO;	
		(generat\$3 or creat\$3 or compil\$5 or	DERWENT;	
		fabricat\$3)near10(token or record or label	IBM_TDB	
		or code or barcode)) same (print or		
		document or file or paper or		
		application) near10 (token or record or label or code or barcode)) and (link\$3 or		
		hyperlink\$3 or refer\$4)near10(page or web		
		or internet or remote\$2 or external\$2))		
	1	and (token or record or label or code or		
		barcode)near10(link\$3 or hyperlink\$3 or		
		refer\$4)) and (scan\$3 or read\$3 or		
	1	sens\$3)near10(token or record or label or		
1		code or barcode)		1

	1 445	(((((embed\$4 or print\$3 or includ\$3 or	USPAT;	2002/08/07	10:52
		compris\$3 or attach\$4)near10(token or	US-PGPUB;		
	1	record or label or code or barcode) same	EPO; JPO;	i	
		(generat\$3 or creat\$3 or compil\$5 or	DERWENT;	, I	
		fabricat\$3)near10(token or record or label	IBM TDB		
		labrica(\$3) hearin(token of fecold of faber	1011-100	1	
		or code or barcode)) same (print or		1	
		document or file or paper or	ļ	;	
	1	application) near10 (token or record or	i	1	
		label or code or barcode)) and (link\$3 or		!	
	İ	hyperlink\$3 or refer\$4)near10(page or web	1		
	}	or internet or remote\$2 or external\$2))			
		and (token or record or label or code or		1	
		barcode)near10(link\$3 or hyperlink\$3 or			
	İ	refer\$4)) and (scan\$3 or read\$3 or			
		sens\$3) near10(token or record or label or			
		code or barcode)) and ((print or document			
		or file or paper or			
		application) near10 (token or record or	1	1	
		label or code or barcode) same (token or		1	
		record or label or code or	İ	ì	
		barcode) near10(link\$3 or hyperlink\$3 or		1	
		refer\$4))	1		
_	13579		USPAT;	2002/08/07	10:21
_	13373	or record or label or code or barcode) and	US-PGPUB;	2002,0070	10.01
		(link\$3 or hyperlink\$3 or	EPO; JPO;		
		refer\$4) near10 (page or web or internet or	DERWENT;	i	
			IBM TDB		
	1040	remote\$2 or external\$2) (scan\$3 or read\$3 or sens\$3)near10(token	USPAT;	2002/08/07	10.21
_	1242			2002/00/01	10.21
		or record or label or code or barcode)	US-PGPUB;		
		same (link\$3 or hyperlink\$3 or	EPO; JPO;		
		refer\$4) near10 (page or web or internet or	DERWENT;		
		remote\$2 or external\$2)	IBM_TDB	0000 (00 (07	10 01
-	68	(((((((embed\$4 or print\$3 or includ\$3 or	USPAT;	2002/08/07	10:21
		compris\$3 or attach\$4)near10(token or	US-PGPUB;		
		record or label or code or barcode) same	EPO; JPO;		
		(generat\$3 or creat\$3 or compil\$5 or	DERWENT;		
		fabricat\$3)near10(token or record or label	IBM_TDB		
		or code or barcode)) same (print or			
		document or file or paper or		i	
		application) near10 (token or record or	j		
		label or code or barcode)) and (link\$3 or		1	
		hyperlink\$3 or refer\$4)near10(page or web			
		or internet or remote\$2 or external\$2))		1	
		and (token or record or label or code or			
		barcode)near10(link\$3 or hyperlink\$3 or			
		refer\$4)) and (scan\$3 or read\$3 or			
		sens\$3)near10(token or record or label or			
		code or barcode)) and ((print or document			
		or file or paper or			
		application) near10 (token or record or			
		label or code or barcode) same (token or			
		record or label or code or			
		barcode)near10(link\$3 or hyperlink\$3 or			
		1 1 1			
		refer\$4))) and ((scan\$3 or read\$3 or			
		sens\$3) near10 (token or record or label or			
		code or barcode) same (link\$3 or		†	
		hyperlink\$3 or refer\$4)near10(page or web			
		or internet or remote\$2 or external\$2))	<u></u>	1	

<u></u>	 · · · · · ·	40	(((((embed\$4 or print\$3 or includ\$3 or	USPAT;	2002/08/07	10:53
_	<u> </u>	40	compris\$3 or attach\$4)near10(token or	US-PGPUB;	1	:
	•	Í	record or label or code or barcode) same	EPO; JPO;	1	i
		i	(generat\$3 or creat\$3 or compil\$5 or fabricat\$3)near10(token or record or label	DERWENT; IBM TDB		1
		1	or code or barcode)) same (print or			
			document or file or paper or			
			application)near10(token or record or label or code or barcode)) and (link\$3 or			
			hyperlink\$3 or refer\$4) near10 (page or web		*	
		į	or internet or remote\$2 or external\$2))			:
		l	and (token or record or label or code or			
		İ	<pre>barcode)near10(link\$3 or hyperlink\$3 or refer\$4)) and (scan\$3 or read\$3 or</pre>		1	
			sens\$3)near10(token or record or label or			1
			code or barcode)) and ((print or document			
			or file or paper or application) near10 (token or record or			
		- 0	label or code or barcode) same (token or			ļ
			record or label or code or		I	1
			barcode) near10(link\$3 or hyperlink\$3 or		i	
_		0	refer\$4)) and 235/375 ("17" and "16" and 235/375).CCLS.	USPAT;	2002/08/07	11:02
			(1	US-PGPUB;		
				EPO; JPO;		
				DERWENT; IBM TDB		
-		3	("4322157").PN.	USPAT;	2002/08/07	11:03
				US-PGPUB;		
]		EPO; JPO; DERWENT;		
				IBM TDB		1
-		0	("4322157,	USPAT;	2002/08/07	13:28
			4488679,4494862,4521096,4660221,4728984").Pi			
				EPO; JPO; DERWENT;		1
				IBM_TDB		
-		0	("4322157 4488679 4494862 4521096 4660221	USPAT;	2002/08/07	11:04
			4728984").PN.	US-PGPUB; EPO; JPO;		
				DERWENT;		
			/ / # 42001 F 7 # 1	IBM_TDB	2002/00/07	11.04
-		18	(("4322157") or ("4488679") or ("4494862") or ("4521096") or ("4660221") or	USPAT; US-PGPUB;	2002/08/07	11:04
	1		("4728984")).PN.	EPO; JPO;		
				DERWENT;	1	
_		0	("4322157,	IBM_TDB USPAT;	2002/08/07	13.29
		0	4488679,4494862,4521096,4660221,4728984").Pl		2002/00/01	13.25
				EPO; JPO;		
				DERWENT; IBM TDB		
_		38	4322157,	USPAT;	2002/08/07	13:29
			4488679,4494862,4521096,4660221,4728984	US-PGPUB;		
				EPO; JPO; DERWENT;		
				IBM TDB		1
-		9	(US-5493106-\$ or US-5486686-\$ or	USPAT;	2002/08/07	13:31
			US-5451760-\$ or US-5490217-\$ or	US-PGPUB		
			US-5485000-\$ or US-5459307-\$ or US-5593185-\$ or US-6192165-\$).did. or			
			(US-20020078363-\$).did.			
-		0	((("4322157") or ("4488679") or	USPAT;	2002/08/07	13:31
			("4494862") or ("4521096") or ("4660221") or ("4728984")).PN.) and ((US-5493106-\$ or	US-PGPUB; EPO; JPO;		
			US-5486686-\$ or US-5451760-\$ or	DERWENT;		
			US-5490217-\$ or US-5485000-\$ or	IBM_TDB		
			US-5459307-\$ or US-5593185-\$ or US-6192165-\$).did. or			
			(US-20020078363-\$).did.)			

-	18	(USPAT;	2002/08/07 14:16
1		or ("4521096") or ("4660221") or	US-PGPUB;	
		("4728984")).PN.	EPO; JPO;	
	ļ		DERWENT;	
1	1		IBM_TDB	0000/00/07
-	4617	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2002/08/07 14:18
		(list\$3 or show\$3)	US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	!
	i		IBM_TDB	
-	7249	barcod\$3 or glyp\$3	USPAT;	2002/08/07 14:19
			US-PGPUB;	
			EPO; JPO;	!
	1		DERWENT;	1
	241	//03 and dated 03 and absent and	IBM TDB	2002/02/07 14 10
-	241	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT;	2002/08/07 14:19
		(list\$3 or show\$3)) and (barcod\$3 or	US-PGPUB;	
		glyp\$3)	EPO; JPO;	
			DERWENT;	
	١,	11620722111	IBM_TDB	2002/08/08 08:08
-	1	"6397231"	USPAT;	2002/08/08 08:08
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	7	"6240429"	IBM_TDB	1 2002/00/00 00-00
-	/	0240429	USPAT;	2002/08/08 08:22
	:		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
	13	(("6308179") or ("6330573") or ("6240429")	IBM_TDB	2002/08/08 08:26
_	13		USPAT;	2002/08/08 08:26
		or ("6266682") or ("6370553") or ("6253217") or ("6324551")).PN.	US-PGPUB;	
		(6233217) OI (6324331)).PN.	EPO; JPO;	
	İ		DERWENT;	
_	7	(("6308179") or ("6330573") or ("6240429")	IBM_TDB USPAT;	2002/08/08 08:39
	1 '	or ("6266682") or ("6370553") or	US-PGPUB	2002/08/08 08:39
		("6253217") or ("6324551")).PN.	US-PGPUB	
_	0		USPAT;	2002/08/08 08:39
		(,9432330) . FN .	US-PGPUB	2002/08/08 08.33
_	0	("self-contained").PN.	USPAT;	2002/08/08 08:40
		Self contained /.Iw.	US-PGPUB	2002/00/00 00.40
_	51891	self-contained	USPAT;	2002/08/08 08:40
	01071	John Contained	US-PGPUB;	2002,00,00 00.10
	İ		EPO; JPO;	
			DERWENT;	1
			IBM TDB	1
-	406	self-contained and document and management	USPĀT;	2002/08/08 08:44
		and based and properties	US-PGPUB;	
		FF	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	syatem and applying and application and	USPAT;	2002/08/08 08:44
]	behavior and freeform and data	US-PGPUB;	= 112, 33, 33 33.14
	-		EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	31	system and applying and application and	USPĀT;	2002/08/08 09:05
		behavior and freeform and data	US-PGPUB;	
1		The state of the s	EPO; JPO;	i i
	İ		DERWENT;	
1			IBM TDB	
_	249524	document sachel	USPAT;	2002/08/08 09:05
1			US-PGPUB;	= = = = = = = = = = = = = = = = = = =
1			EPO; JPO;	ļ
			DERWENT;	1
			IBM TDB	
L	1	I		L

	1 10	1 2 2 1 (C) (O) (O) (O)	LUCDAM.	2002/00/00 00:00
-	10	document ADJ "6240429" sachel	USPAT; US-PGPUB;	2002/08/08 09:06
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	10	document ADJ ((("6308179") or ("6330573")	USPAT;	2002/08/08 09:06
	į	or ("6240429") or ("6266682") or	US-PGPUB;	
	1	("6370553") or ("6253217") or	EPO; JPO;	
		("6324551")).PN.) sachel	DERWENT;	
			IBM_TDB	1
-	0	document WITH sachel	USPAT;	2002/08/08 09:06
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		de company (ATTM) de che à	IBM TDB	2002/09/09 00:06
-	0	documentWITHsachel	USPAT;	2002/08/08 09:06
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	İ		IBM TDB	
1_	0	document WITH sachel	USPAT;	2002/08/08 09:07
		document with sucher	US-PGPUB;	2302,00,00 03.07
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	document WITH sachel	USPAT;	2002/08/08 09:09
	1		US-PGPUB;	
	}		EPO; JPO;	
			DERWENT;	
			IBM_TDB	A 11.3
-	108664	xerox, dataglyph	USPAT;	2002/08/08 09:25
	1		US-PGPUB;	
•			EPO; JPO;	i
	į		DERWENT;	
	5.0000		IBM_TDB	1 0000 /00 /00 00 00
-	547760	xerox, dataglyph, document management	USPAT;	2002/08/08 09:26
	ļ		US-PGPUB;	
	1		EPO; JPO;	
			DERWENT; IBM TDB	
_	30	xerox AND dataglyph AND document AND	USPAT;	2002/08/08 09:27
	30	management	US-PGPUB;	2002/00/00 03:2/
		management	EPO; JPO;	
1			DERWENT;	
			IBM TDB	
_	30	dataglyph AND document AND management	USPAT;	2002/08/08 09:27
		J 11	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	25169	document AND management	USPAT;	2002/08/08 09:27
			US-PGPUB;	
			EPO; JPO;	PI
			DERWENT;	
		7	IBM_TDB	2002/00/00 00 32
-	295	document AND management AND machine AND	USPAT;	2002/08/08 09:30
		barcode	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	13	"5468686"	USPAT;	2002/08/08 09:30
- 4 14	13	00000	US-PGPUB;	2002/00/00 09:30
			EPO; JPO;	
			DERWENT;	6 0
			IBM TDB	
_	3	("5468686").PN.	USPAT;	2002/08/08 09:31
	1	,	US-PGPUB;	
	l .			
			EPO; JPO;	

-	3	("5486686").PN.	USPAT;	2002/08/08 15:55
	1	•	US-PGPUB;	†
			EPO; JPO;	
			DERWENT;	
			IBM TDB	1
_	0	facimile@<1995	USPAT;	2002/08/08 15:55
		1401/1126 11990	US-PGPUB;	i
			EPO; JPO;	i
	!	! {	DERWENT;	ţ
			IBM TDB	
_		facimile@py<1995	USPAT;	2002/08/08 15:56
_	٠,	Tacimile@py<1995	US-PGPUB;	2002,00,00 13.30
			EPO; JPO;	
			DERWENT;	į
			IBM TDB	
	125	6111-	USPAT;	2002/08/08 15:56
-	175	facimile		1 2002/08/08 13:30
			US-PGPUB;	1
			EPO; JPO;	<u> </u>
			DERWENT;	1
			IBM_TDB	
-	0	facsimile@py<1995	USPAT;	2002/08/08 15:56
			US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	!
-	155835	facsimile	USPAT;	2002/08/08 15:57
			US-PGPUB;	!
			EPO; JPO;	
	:		DERWENT;	
	:		IBM TDB	
_	13231	facsimile WITH machine	USPAT	2002/08/08 16:00
_) o	facsimile WITH machine.ti	USPAT;	2002/08/08 16:01
			US-PGPUB	
_	15350	(facsimile WITH machine).ti	USPAT;	2002/08/08 16:02
	10000	(US-PGPUB	
_	2172	facsimile.ti.	USPAT;	2002/08/08 16:49
	21.2	Lucoimizac. Ci.	US-PGPUB	
_	1	bain-alexander.in.	USPAT;	2002/08/08 16:50
	1	Dain-alexander.in.	US-PGPUB	2002,00,00 10.30
_	0	bain-alexander.in.	USOCR	2002/08/08 16:49
· _	0	bain-alex.in.	USPAT;	2002/08/08 16:50
_	1	Dalli-alex.lli.	US-PGPUB	2002/00/00 10.30
	270	hain in	USPAT;	2002/08/08 16:50
_	270	bain.in.	US-PGPUB	2002/00/00 10:50
	_	hain in	USOCR	2002/08/08 16:50
_	0	bain.in.		2002/08/08 16:30
-	3	("5486686").PN.	USPAT;	2002/00/12 13:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB]





L Number	Hits	Search Text	DB	Time champ
1	2	(("5331547") or ("5905246")).PN.	USPAT;	Time stamp 2003/05/08 13:27
ĺ			US-PGPUB	2003/05/08 13:2/
-	160	scan near4 token	USPAT;	2003/05/06 14 46
	ł		US-PGPUB	2003/05/06 14:46
-	34	scan near4 glyphs	USPAT;	1 2002 (05 (05 25)
		3-31-10	US-PGPUB	2003/05/06 15:49
-	1	scan\$ near4 glyph\$ near4 list\$	USPAT;	2002/05/05 55
		January Hours House	US-PGPUB	2003/05/06 15:51
-	5	scan\$ near4 glyph\$ near4 select\$	1	0000105100
1	1	and real gryphy heary beleety	USPAT;	2003/05/06 15:54
-	239	scan\$ near4 bar adj code near4 select\$	US-PGPUB	1
Ì		sount heart bar adj code heart selects	USPAT;	2003/05/06 15:55
l _	427	scans neard (har add ands)	US-PGPUB	
İ	12,	scan\$ near4 (bar adj code) near4 select\$	USPAT;	2003/05/07 10:46
i _	785	scans mound decimal to	US-PGPUB	
	, , ,	scan\$ near4 document\$ near4 electronic	USPAT;	2003/05/07 10:49
l <u>-</u>	141	00000 00004 01004	US-PGPUB	
j	141	scan\$ near4 electronic adj document\$	USPAT;	2003/05/07 10:50
1_	108	1	US-PGPUB	1
	108	(scan or scanning or scanned) near4	USPAT;	2003/05/07 11:21
1.	100	(electronic adj document)	US-PGPUB	
-	406	(the same of occurrence of occurred) Same	USPAT;	2003/05/07 11:43
İ		(electronic adj document)	US-PGPUB	
-	145	(glyph or bar adj code or token) same	USPAT;	2003/05/07 14:15
		(electronic adj document)	US-PGPUB	
_	39	generate and rise same (gryph or par ad)	USPAT:	2003/05/07 14:16
		code or token)	US-PGPUB	1 2000,00,0. 14.10
-	63	generat\$ adj list same (glyph or bar adj	USPAT:	2003/05/07 14:31
	i l	code or token)	US-PGPUB	2003/03/0/ 14.51
-	3082	list same (glyph or bar adj code or token)	USPAT;	2003/05/07 14:31
		not (generat\$ adj list same (glyph or bar	US-PGPUB	2003/03/07 14:31
		adj code or token))	05 16106	
-	36	((form or create or make) adj list) same	USPAT;	2002/05/07 25 07
		(glyph or bar adj code or token) not	US-PGPUB	2003/05/07 15:07
İ	Ì	(generat\$ adj list same (glyph or bar adj	U3-FGFUB	į l
		code or token))	1	
_	0	("6,293,874.").PN.		
İ		(), = > 0, 0 , 1 .	USPAT;	2003/05/07 15:07
-	1	("6,293,874").PN.	US-PGPUB	
ļ	1	(0,200,014).EN.	USPAT;	2003/05/07 15:07
			US-PGPUB	